

# JSC SMA FLIGHT SAFETY OFFICE


---

## Significant Incidents and Close Calls in Human Spaceflight

---

Spring 2024

SMA Engineering  
Contract II  
80JSC019D0008



# Significant Incidents and Close Calls in Human Spaceflight

A Product of the JSC SMA Flight Safety Office

LEGEND

Loss of Crew

Crew Injury/Illness  
and/or Loss of  
Vehicle or Mission

Related or Recurring  
event



SR-71



X-15



Soyuz 1



Apollo 1



Soyuz 11



Challenger



Columbia

**IS-110** 4/8/2002  
correct adjustments to the  
ntroller software resulted in SSME  
derperformance. Also occurred on  
S-108 and STS-109.  
rew: 7

**IS-91** 6/2/1998  
ain engine pressure chamber sensor  
iled. If it occurred later, logic error may  
ve triggered an RTLS abort.  
rew: 6

**ayuz TM-9** 2/11/1990  
M insulation torn loose on ascent;  
ntingency EVA repair.  
rew: 2

**SB Seal Events (1981-1996)**

**STS-51-L (Challenger)** 1/28/1986  
SRB seal failure.  
Crew: 7

ther SRB gas sealing anomalies: STS-2, 6,  
B, 41C, 41D, 51C, 51D, 51B, 51G, 51F,  
1, 51J, 61A, 61B, 61C, 42, 71, 70, 78

**IS-51F** 7/29/1985  
perature sensor problems resulted in  
3ME1 shutdown at T+5:45.  
rew: 7

**ayuz 18-1 (18a)** 4/5/1975  
ctical fault caused premature firing  
half of the 2<sup>nd</sup> stage separation bolts,  
ulting in the inability to fire the remaining  
es. Staging failure resulted in abort  
quence being used at T+295 seconds.  
rew: 2

**ago Events (1962-1970)**

**pollo 13** 4/11/1970  
<sup>d</sup> stage center engine shutdown due to  
go oscillations.  
rew: 3

ther significant pogo events have  
curred on:  
pollo 4, Apollo 6, early Titan II

**pollo 12** 11/14/1969  
ghtning strike on ascent.  
rew: 3

**emini 10** 7/18/1966  
<sup>1</sup> stage oxidizer tank exploded at staging,  
o discernable effects. Nominal ascent.  
rew: 2

**oeing OFT-2** 7/31/2021  
upulsion valves failed during pre-launch testing.  
rew: 0

**IS-112** 10/7/2002  
0 umbilical issues resulted in none of the system A pyrotechnic  
arges firing.  
rew: 6

**IS-97** 11/30/2000  
ft aft lower SRB strut system "A" NSI pressure cartridge failed  
fire due to damaged cable.  
rew: 5

**paceX F9-29** 9/1/2016  
ailure of one of the three composite overwrapped pressure  
ysels during the hot fire test resulted in the loss of the vehicle  
nd payload.  
rew: 0

**IS-61C** 1/6/1986  
ystem configuration errors resulted in inadvertent drain-back  
14,000 lbs of LOX prelaunch, which would have resulted in a  
ons-Atlantic Abort Landing.  
rew: 7

**n-pad Abort Events (1983-1993)**

**IS-41D** 6/26/1984  
allowing a pad abort, LH<sub>2</sub> leaked from SMEE3, resulting in a  
e at the base of the orbiter.  
rew: 6

**Soyuz T-10-1 (T-10a)** 9/26/1983  
Pad booster fire/explosion. Capsule Escape System used.  
Crew: 2

ther on-pad abort events:  
STS-51F, STS-55, STS-51, STS-68.

**IS-1** 4/12/1981  
RB ignition pressure wave caused TPS and structural damage.  
rew: 2

**kylab 2** 5/25/1973  
strument unit erroneously sent a command to switch the launch  
hicle from internal to external power.  
rew: 3

**pollo 1 (AS-204)** 1/27/1967  
rew cabin fire (electrical short + high pressure O<sub>2</sub>  
mosphere).  
rew: 3

**emini 6** 12/12/1965  
ain engine shutdown. Booster left unsecured on pad. Crew  
ected not to eject. Launched 3 days later.  
rew: 2

**Soyuz MS-10** 10/11/2018  
Launch abort due to booster striking the core stage.  
Crew: 2

**Progress M-12M (44P)** 8/24/2011  
Anomaly in fuel pressurization system led to shutdown of 3<sup>rd</sup> stage  
engine. Vehicle failed to reach orbit.  
Crew: 0

**Other ISS Cargo Mission Failures:**  
**Progress M-27M & MS-04**, Cygnus CRS Orb-3, Dragon CRS SpX-7.  
Crew: 0

**STS-117** 6/8/2007  
Thermal blanket damage. EVA performed to repair damage.  
Crew: 7

**STS-114** 7/26/2005  
• Bird strike on External Tank.  
• Loss of foam from External Tank PAL ramp.  
• TPS gap filers protruding. Removed during third  
mission EVA.

• External Tank forward separation bolt NSI ejected causing  
damage to adjacent orbiter structure and TPS.  
Crew: 7

**STS-93** 7/23/1999  
• At T+5 a short on AC1 Phase A resulted in loss of SSME1  
Controller A and SSME3 Controller B.

• SSME3 H<sub>2</sub> leak: early LOX depletion and shutdown.  
Crew: 5

**Ascent Debris**

**STS-124** 5/31/2008  
3,500 refractory bricks blown  
away from flame trench wall  
during liftoff.  
Crew: 7

**STS-95** 10/29/1998  
Drag chute door separated  
during launch and impacted  
main engine bell.  
Crew: 7

**Other significant ascent  
debris events have  
occurred on:**  
STS-116 and STS-125

**Late Release Orbiter Tyvek  
Covers**

STS-114, 115, 118, 119, 124,  
126

**Apollo 10** 5/22/1969  
Switch misconfiguration resulted in lunar  
module control problems.  
Crew: 2

**Apollo 14** 1/31/1971  
Multiple failed docking attempts. Contingency procedures  
developed to mitigate risk of recurring docking anomaly.  
Docking successful.  
Crew: 3

**Apollo 13** 4/13/1970  
Explosion due to electrical short. Loss of O<sub>2</sub> and EPS.  
Crew: 3

**Progress 82P** 2/11/2023  
MMOD damage to thermal control  
system resulted in loss of cooling function.  
Crew: 0

**Soyuz 68** 12/15/2022  
MMOD damage to thermal control  
system resulted in loss of nominal crew  
return capability.  
Crew: 3

**ISS** 11/14/2021  
Russian anti-satellite test resulted in  
increased orbital debris risk.  
Crew: 7

**SpaceX Crew-2** 4/2021-11/2021  
WMS leak resulted in corrosion.  
Also noted on Inspiration 4 flight, 9/16-  
18/2021.  
Crew: 4

**Soyuz 64** 10/15/2021  
ISS LOAC due to Soyuz 64S thrusters not  
deactivating following thruster test.  
Crew: Soyuz 3, ISS 4

**ISS, Increment 65** 7/29/2021  
ISS LOAC due to uncommanded firing of  
MLM thrusters.  
Crew: 7

**ISS Atmosphere Leak** 2020-present  
ISS atmospheric leak due to cracks in the  
SM transfer tunnel PTK.  
Crew: 3-11

**Boeing OFT-1** 12/20/2019  
Inflight OFT software issues with potential  
for loss of vehicle during entry.  
Crew: 0

**ISS, Increment 58** 2/1/2019  
Significant water leak while de-mating  
potable water quick disconnect.  
Crew: 6

**Soyuz 55** 8/30/2018  
QM cabin leak due to hole in the  
pressure shell.  
Crew: 3

**ISS, Increment 38** 12/11/2013  
ITCS configuration errors resulted in near  
freezing and potential rupture of water-  
to-ammonia heat exchanger.  
Crew: 6

**Soyuz TMA-18 (22S)** 9/23/2010  
First attempt to separate from ISS failed;  
ISS crew succeeded in bypassing faulty  
sensor.  
Crew: Soyuz 3, ISS 3


**ISS, Increment 17** 4/30/2008  
Freon 218 leaked from SM AC.  
Crew: 3

**SpaceShipOne, 16P** 9/29/2004  
Uncommanded vehicle roll. Control  
regained prior to apogee.  
Crew: 1

**SpaceShipOne, 14P** 5/13/2004  
Flight computer unresponsive.  
Recovered by rebooting.  
Crew: 1

**Altitude Chamber O<sub>2</sub> Fire - Soviet** 3/23/1961  
Alcohol wipe hit hot plate and started fire in  
oxygen-rich test chamber.  
Crew: 1

**Navy Chamber** 11/17/1962  
Fire started in a 100% oxygen environment at 5  
psi. Four officers injured.  
Crew: 4



**Apollo 11** 7/21/1969  
Engine arm circuit breaker knob broke off.  
Circuit breaker successfully reset allowing  
ascent.  
Crew: 2

**Mir** 7/17/1997  
Accidental unplugging of computer power cable  
led to loss of attitude control and loss of power.  
Crew: 3

**STS-83** 4/6/1997  
Failure of fuel cell number 2 resulted in MDF being  
declared. The 15-day mission was shortened to 3  
days.  
Crew: 7

**STS-51** 9/12/1993  
Both port-side primary and secondary SUPER ZIP  
explosive cords fired, resulting in containment tube  
failure and damage in the payload bay.  
Crew: 5

**STS-44** 11/24/1991  
Failure of IMU 2 caused MDF to be declared. 10-  
day mission shortened to 7 days.  
Crew: 6

**STS-32** 1/9/1990  
Erroneous state vector up-linked to flight control system,  
causing immediate and unpredictable attitude control  
problems.  
Crew: 5

**STS-9** 12/8/1983  
Two GPCs failed during reconfiguration for entry.  
One GPC could not be recovered.  
Crew: 6

**STS-2** 11/12/1981  
• Failure of fuel cell resulted in a MDF being declared.  
• The fuel cell failure also resulted in hydrogen in the  
drinking water leading to crew dehydration.  
Crew: 2

**Soyuz 33** 4/12/1979  
Main engine anomaly caused final rendezvous  
abort.  
Crew: 2

**Soyuz 23** 10/16/1976  
Mission abort due docking failure.  
Crew: 2

**Soyuz 21** 8/24/1976  
Separation from Salyut failed; ground command  
succeeded in opening latches.  
Crew: 2

**Soyuz 6** 10/1969  
Low-pressure compressed arc welding experiment  
nearly burned a hole through the inner compartment  
flooring and damaged the hull of the CM.  
Crew: 1

**Soyuz 1** 4/23/1967  
Failures in attitude control and electrical power  
systems resulted in a loss of mission. The launch of the  
intended docking target, Soyuz 2, was scrubbed.  
Crew: 1

**M21-D21** 7/30/1966  
D21 drone collided with M21  
during launch, causing M21  
breakup. Crew survived breakup  
but one was lost after water  
landing.  
Crew: 2

**SR-71** 1/25/1966  
Loss of control at high speed  
and altitude.  
Crew: 2

**SpaceShipTwo, PFO4** 10/31/2014  
Vehicle breakup during powered flight.  
Crew: 2

**U.S. Strato-Lab High V** 5/4/1961  
Open visor allowed water into suit after landing,  
resulting in loss of flotation and crew member drowning.  
Crew: 2

**SpaceShipOne, Flight 11P** 12/17/2003  
Left main landing gear collapsed.  
Crew: 1

**U.S. Strato-Lab High V** 5/4/1961  
Open visor allowed water into suit after landing,  
resulting in loss of flotation and crew member drowning.  
Crew: 2

**Mercury MR-4** 7/21/1961  
Inadvertent hatch pyrotechnic firing. Capsule sunk. Astronaut nearly  
drowned.  
Crew: 1

**Mercury MA-7** 5/24/1962  
RCS depletion at 80,000 ft.  
Crew: 1

**Apollo ASTP** 7/24/1975  
N<sub>2</sub>O<sub>2</sub> in crew cabin. Crew  
hospitalized for 2 weeks.  
Crew: 3

**Mercury MA-7** 5/24/1962  
RCS depletion at 80,000 ft.  
Crew: 1

**Apollo 15** 8/7/1971  
Landed with only 2 of 3 parachutes.  
Crew: 3

**Apollo 12** 11/24/1969  
Harder than normal splashdown knocked loose a camera. The  
camera knocked lunar module pilot unconscious.  
Crew: 3

**EVA Incidents Summary (1965-2023)**

**15 EVAs resulted in crew injury:**  
Gemini 9, Gemini 10, Apollo 17, Salyut 7 PE-1, Salyut 7 VE-3, STS-61-B EVAs 1&2, STS-37, U.S.  
EVA 62, U.S. EVA 63, Mir PE-9, STS-63, STS-97/4A, STS 100/6A EVAs 1&2, STS-134/ULF6

**ISS EVA-23** 7/16/2013  
Excess water accumulation in EVA helmet resulted in  
near-drowning. Related/ repeated: EVA-35, EVA-80  
Crew: 2

See the Significant Incidents in EVA Operations Graphic and Interactive Version for more details.  
Interactive version: <https://sma.nasa.gov/SignificantIncidents/EVA2018/>  
Print version: [https://sma.nasa.gov/SignificantIncidents/assets/2018/Significant\\_Incidents\\_in\\_EVA\\_2018.pdf](https://sma.nasa.gov/SignificantIncidents/assets/2018/Significant_Incidents_in_EVA_2018.pdf)

**Medical Evacuations (1976-1987)**

**Mir EO-2, 1987, Crew: 2**  
One replaced early due to medical condition.

**Salyut 7, 1985, Crew: 3**  
One returned with visiting crew due to medical condition.

**Salyut 5, 8/25/1976, Crew: 2**  
Early return of crew due to health effects from suspected toxic  
gases in space station.

**Fire/Overheating Events (1971-2008)**

**ISS, 10/10/2008, Crew: 3**  
ISS, 9/18/2006, Crew: 3  
ISS, 3/2005, Crew: 2

**Mir\*** 2/26/1998  
Overheating BMP beds produce  
health-threatening level of CO.  
Crew: 2

**Mir\*** 2/24/1997  
Chemical oxygen generator  
(SFOG) failure resulted in fire.  
Crew: 6

**Mir** 10/1994, Crew: 6  
STS-40, 6/1991, Crew: 7  
STS-35, 12/1990, Crew: 7  
STS-28, 8/1989, Crew: 5  
STS-6, 4/1983, Crew: 4  
Salyut 7, 9/1982, Crew: 3  
Salyut 6, 1979, Crew: 3  
Salyut 1, 6/1971, Crew: 3

**Mir** 8/30/1994  
Progress M-24 collided with Mir during  
second docking attempt.  
Mir Crew: 2

**Mir** 1/14/1994  
Soyuz TM-17 collided twice with Mir  
during undocking.  
Crew: Soyuz 2, Mir 3

**Medical Events**  
The following medical events have  
occurred:  
ISS  
Venous thrombosis discovered  
during ultrasound.  
Space-Associated Neuro-Ocular  
Syndrome experienced by many  
long-duration crew members.

**Gemini/Apollo**  
Decompression sickness experienced  
following EVA.

**STS-130** 2/10/2010  
Experienced significant misalignment  
between orbiter and ISS during  
post-capture free drift due to gravity-  
gradient-induced motion.  
Crew: 6

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Soyuz T-8** 4/22/1983  
Loss of rendezvous antenna prevented  
docking.  
Crew: Soyuz 3

**Artemis 1** 12/11/2022  
Retention and release bolt showed unexpected erosion.  
Crew: 0

**Artemis 1** 12/11/2022  
Heat shield experienced greater than expected char loss.  
Crew: 0

**Soyuz TM-5** 9/6/1988  
Two de-orbit attempts failed. Crew confined to DM due to OM being jettisoned prior to  
1<sup>st</sup> de-orbit attempt. Crew prevented erroneous firing of SM separation pyrotechnics.  
Crew: 2

**Soyuz T-11** 10/2/1984  
Partial failure of atmospheric entry control system.  
Crew: 3

**Soyuz 33** 4/12/1979  
Backup engine burned 25 seconds too long on de-orbit. Ballistic entry.  
Crew: 2

**Skylab 4** 2/8/1974  
Incorrect circuit breakers opened, resulting in the loss of the automatic control.  
Crew: 3

**Soyuz 11** 6/30/1971  
Pyrotechnic system failure resulted in crew module rapid depress.  
Crew: 3

**Apollo 11** 7/24/1969  
Service Module did not follow the planned trajectory after separation and passed  
near the Command Module while tumbling. Also occurred on Apollo 8 and 10.  
Crew: 3

**Apollo AS-201 Test** 2/26/1966  
Electrical short at separation resulted in RCS commands being sent to the Service  
Module, causing loss of RCS control.  
Crew: 0

**Gemini 5** 8/29/1965  
Erroneous entry data uplinked; crew manually corrected entry flight profile.  
Crew: 2

**Gemini 4** 6/7/1965  
Erroneous entry data uplinked; crew manually corrected entry flight profile.  
Crew: 2

**Voskhod 2** 3/19/1965  
Automatic descent system malfunctioned. Issues with manual entry resulted in off-  
target, rough terrain landing. Delayed crew recovery.  
Crew: 2

**Mercury MA-7** 5/24/1962  
Pitch horizon scanner failed, resulting in manual entry and off-target landing. Delayed  
crew recovery.  
Crew: 1

**Mercury MA-6** 2/20/1962  
False landing-bag indicator light led to entry with retrorack in place as a precaution.  
Crew: 1

**STS-134** 6/1/2011  
Brief fire observed between the left main landing gear tires during  
runway rollout.  
Crew: 7

**STS-108** 12/17/2001  
Violation of minimum landing weather requirements.  
Crew: 7

**STS-90** 5/3/1998  
Hard, fast landing due to human factors and rogue wind gust.  
Hardest shuttle landing.  
Crew: 7

**STS-37** 4/11/1991  
Several factors contributed to a low-energy landing 623 feet prior to the  
threshold of the runway at the backup landing location.  
Crew: 5

**STS-51D** 4/19/1985  
Right brake failed (locked up) causing blowout of inboard tire and  
significant damage to outboard tire.  
Crew: 7

**STS-9** 12/8/1983  
A. Two APUs caught fire during rollout.  
B. GPC failed on touchdown.  
C. Incorrect flight control rechannelization on rollout.  
Crew: 6

**STS-3** 3/30/1982  
Pilot induced oscillation during deceleration. Stronger than predicted winds  
contributed.  
Crew: 2

**Soyuz 15** 8/28/1974  
Descended through an electrical storm during night landing.  
Crew: 2

**Apollo 15** 8/7/1971  
Landed with only 2 of 3 parachutes.  
Crew: 3

**Apollo 12** 11/24/1969  
Harder than normal splashdown knocked loose a camera. The  
camera knocked lunar module pilot unconscious.  
Crew: 3

**Mercury MR-4** 7/21/1961  
Inadvertent hatch pyrotechn

## WHAT IS IT?

Human spaceflight grew out of the Cold War between the United States and the Soviet Union. Competitive struggles laid the groundwork with advances in high altitude flight, rocketry, and human performance. Human spaceflight reached its first defining success more than half a century ago, when Cosmonaut Yuri Gagarin became the first man to orbit the Earth in April 1961. In November 2000, a multi-national crew moved aboard the International Space Station. By November 2023, the former Cold War rivals had collaborated to surpass 23 years of continuous presence in space. Now a new record of continuous space habitation is established daily.

The Significant Incidents and Close Calls in Human Spaceflight chart presents a visual overview of major losses and close calls spanning the history of human spaceflight. It heightens awareness of the risks that must be managed as human spaceflight continues to advance.

## HOW DOES IT WORK?

Events on the chart are organized by flight phase and ordered chronologically within each phase. Each event is represented by a small box which includes the mission name, date, a brief description of the incident and any significant result, such as injury or loss of life. Three types of important events are highlighted: loss of crew, crew injury, and related or recurring events. Events with one or more crew fatalities are considered a loss of crew and highlighted in red. Crew injury or illness and/or loss of vehicle or mission is designated by orange shading. Related or recurring events are grouped together and set apart by yellow shaded boxes. These events have occurred repeatedly, are similar in nature, and may continue to occur today.

## WHY DO WE HAVE IT?

The Significant Incidents and Close Calls in Human Spaceflight chart is maintained by NASA Johnson Space Center's Flight Safety Office to raise awareness of lessons that have been learned through the years. It is a visible reminder of the risks inherent in human spaceflight. It is intended to spark an interest in past events, inspire people to delve into lessons learned, and encourage continued vigilance. It can aid in developing "what-if" scenarios and in ensuring the lessons of history are incorporated into new designs. It is being distributed as widely as possible in the hope that future accidents may be prevented.

## WHAT IS THE BONDARENKO STORY?

Two fatal events, the Soviet altitude chamber oxygen fire and the Apollo 1 terminal countdown demonstration test, highlight the importance of sharing information. On March 23, 1961 Soviet cosmonaut Valentin Bondarenko lost his life after being severely burned in an altitude chamber fire. The incident occurred during a routine training exercise, when Bondarenko attempted to throw an alcohol swab into a waste basket, but hit the edge of a hot plate instead. The oxygen-rich environment quickly ignited. Rescue efforts were thwarted because internal pressure prevented rescuers from opening the chamber's inwardly swinging hatch for several minutes. By the time the pressure was released and the hatch could be opened, Bondarenko had been hopelessly burned. He died hours later.

Six years later, three U.S. astronaut's lives were lost in a fire during the terminal countdown demonstration test. During the test, the Apollo crew module contained an oxygen-rich atmosphere. An electrical short caused a fire that spread quickly throughout the cabin. Again, rescue efforts were delayed due to the buildup of pressure behind an inwardly opening hatch. Unlike the Soviet altitude chamber oxygen fire, the crew did not die due to burns from the fire, but from cardiac arrest caused by smoke inhalation. However, in both the Bondarenko tragedy and the Apollo 1 incident, high levels of oxygen caused the fires to spread rapidly, and pressure against inward opening hatches slowed rescue efforts. Neither cabin was equipped with effective fire-suppression equipment.

Information about the Bondarenko incident was not known in the U.S. until 1986 – more than 20 years later. Would access to this information have led to design changes that saved lives? Although that question can never be answered, these events underscore the importance of sharing information in the effort to prevent future tragedies.

## ABBREVIATIONS AND ACRONYMS

|                               |  |
|-------------------------------|--|
| AC                            | Air Conditioner                          |
| APU                           | Auxiliary Power Unit                     |
| BMP                           | Microimpurities Removal System (Russian) |
| CDRA                          | Carbon Dioxide Removal System            |
| CMG                           | Control Moment Gyroscope                 |
| CO                            | Carbon Monoxide                          |
| CO <sub>2</sub>               | Carbon Dioxide                           |
| CRS                           | Commercial Resupply Services             |
| DM                            | Descent Module                           |
| EMU                           | Extravehicular Mobility Unit             |
| EPS                           | Electrical Power System                  |
| EVA                           | Extravehicular Activity                  |
| FGB                           | Functional Cargo Block (Russian)         |
| FSO                           | Flight Safety Office                     |
| GIRA                          | Galley Iodine Removal Assembly           |
| GPC                           | General Purpose Computer                 |
| GPS                           | Global Positioning System                |
| H <sub>2</sub>                | Hydrogen                                 |
| IMU                           | Inertial Measurement Unit                |
| ISS                           | International Space Station              |
| ITCS                          | Internal Thermal Control System          |
| KOH                           | Potassium Hydroxide                      |
| LH <sub>2</sub>               | Liquid Hydrogen                          |
| LOAC                          | Loss of Attitude Control                 |
| LOC                           | Loss of Crew                             |
| LOM                           | Loss of Mission                          |
| LOV                           | Loss of Vehicle                          |
| LOX                           | Liquid Oxygen                            |
| MDF                           | Minimum Duration Flight                  |
| MLM                           | Multipurpose Laboratory Module           |
| MetOx                         | Metal Oxide                              |
| MMOD                          | Micro-Meteoroid Orbital Debris           |
| N <sub>2</sub> O <sub>4</sub> | Nitrogen Tetroxide                       |
| NSI                           | NASA Standard Initiator                  |
| O <sub>2</sub>                | Oxygen                                   |
| OFT                           | Orbital Flight Test                      |
| OM                            | Orbital Module                           |
| OSMA                          | Office of Safety & Mission Assurance     |
| PAL                           | Protuberance Air Load                    |
| PASS                          | Primary Avionics Software System         |
| PPCO <sub>2</sub>             | Partial Pressure of Carbon Dioxide       |
| RCS                           | Reaction Control System/Subsystem        |
| RTLS                          | Return to Launch Site                    |
| SFOG                          | Sold Fuel Oxygen Generator               |
| SM                            | Service Module                           |
| SMA                           | Safety & Mission Assurance               |
| SRB                           | Solid Rocket Booster                     |
| SSME                          | Space Shuttle Main Engine                |
| SSP                           | Space Shuttle Program                    |
| STS                           | Space Transportation System              |
| TPS                           | Thermal Protection System                |
| U.S.                          | United States                            |
| WMS                           | Waste Management System                  |

Visit the NASA Office of Safety & Mission Assurance ([sma.nasa.gov/SignificantIncidents/](https://sma.nasa.gov/SignificantIncidents/)) for the latest PDF and interactive versions of the Significant Incidents and Close Calls in Human Spaceflight chart.

## CONTACTS

David Teltschik, SAIC  
Task Integration Manager  
[david.teltschik-1@nasa.gov](mailto:david.teltschik-1@nasa.gov)

Gail Skowron, NASA  
Manager, JSC SMA Flight Safety Office  
[gail.l.skowron@nasa.gov](mailto:gail.l.skowron@nasa.gov)

Dennis Pate, SAIC  
Assessments Specialist, FSO Support Team  
[dennis.w.pate@nasa.gov](mailto:dennis.w.pate@nasa.gov)

